

Probes with thread connection



AFNOR NF-S 90-116 probe, thread ISO G. 1/4" F.



AFNOR NF-S 90-116 type EASYFIX® probe, thread ISO G. 1/4" F.



UNI 9507 probe, thread ISO G. 1/4" F.



BS 5682 probe, thread ISO G. 1/4" F.



DIN 13260 probe, thread ISO G. 1/4" F.



SS 875 24 30 probe, thread ISO G. 1/8" M. or ISO G. 1/4" F.



JIS T 7101 probe, thread ISO G. 1/8" M.



SANS 1409 probe, thread ISO G. 1/4" F.



OHMEDA probe, thread ISO G. 1/4" F.

Probes with hose connection

Flowmeter outlet hose connection · Stainless steel rail

Probes with hose connection



Flowmeter outlet hose connection



Stainless steel rail




Rail clamping systems for oxygen flowmeters

Cylinder inlet connections for oxygen pressure regulators


Rail clamping systems



ABS clamp bracket for rail 30x10 mm and 50x10 mm, with nipple threaded ISO G. 1/4" F. and hose connector Ø 6 mm.



Anodized aluminum wedge for OHMEDA rail clamp bracket, with nipple threaded ISO G. 1/4" F. and hose connector Ø 6 mm.



Anodized aluminum OHMEDA rail clamp bracket.

Cylinder inlet connections for oxygen pressure regulators



EN 850 (or CGA 870) "pin-index" yoke cylinder connection.



AFNOR NF-E 29-656 cylinder connection.



DIN 477-1 cylinder connection.



UNI 11144 cylinder connection.



BS 341-3 "bull nose" cylinder connection.



CGA 540 cylinder connection.

